

Self-adjusting toggle clamps STC

Highly flexible and up to 5 x faster

BESSEY

Simply better.



You Tube



Uncompromisingly versatile

One size of the BESSEY toggle clamp replaces multiple competitor sizes simultaneously:

- due to an extremely large clamping range, thanks to the patented mechanism



Ready to go – the first time and for quick set-up during workpiece changes

BESSEY STC toggle clamps adapt to workpieces of varying thickness – without manual setting of the spindle and, with practically the same clamping force:

- due to an automatic clamping width range



Powerful and gentle

Even sensitive workpieces, e.g. with veneered or varnished surfaces, can be gently clamped:

- due to moving pressure plate with removable protective cap
- due to clamping force regulation via adjustment screw in the joint



Self-adjusting toggle clamps STC

Highly flexible and up to 5 x faster



Simply better.



Horizontal toggle clamp with open arm STC-HH



STC-HH20



STC-HH50



STC-HH70

Order-No.	Opening mm	Automatic adjustment mm	Clamping force appr. N	kg	qty.	V3
with horizontal base plate						
STC-HH20	35	20	1,100	0.20	6	
STC-HH20SB	35	20	1,100	0.20	3	
STC-HH50	40	35	2,500	0.38	6	
STC-HH50SB	40	35	2,500	0.38	3	
STC-HH70	60	35	2,500	0.42	6	
STC-HH70SB	60	35	2,500	0.42	3	



Push/pull clamp STC-IHH



STC-IHH15



STC-IHH25

Order-No.	Opening mm	Automatic adjustment mm	Clamping force appr. N	kg	qty.	V3
with horizontal base plate						
STC-IHH15	25	8	1,100	0.19	6	
STC-IHH25	35	13	2,500	0.45	6	
STC-IHH25SB	35	13	2,500	0.46	3	



Vertical toggle clamp with open arm STC-VH



STC-VH

Order-No.	Opening mm	Automatic adjustment mm	Clamping force appr. N	kg	qty.	V3
with horizontal base plate						
STC-VH20	35	20	1,100	0.22	6	
STC-VH50	40	35	2,500	0.43	6	


- Automatic and infinitely variable adjustment of the clamping height while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws
- Adjustable clamping force based on the adjusting screw in the joint
- Sturdy, tempered metal sheets for a long service life
- Base plate hole pattern suitable for millimetres and inches
- High-quality oil-resistant two-component plastic handle

3D CAD data for download at <http://bessey.partcommunity.com> and/or www.bessey.de

SB = On carded hang pack



For further information
www.bessey.de



BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 ■ Fax +49 7142 401-452
E-Mail: info@bessey.de ■ www.bessey.de

Your dealer: